


Outdoors: Shooting & Hunting

PolyOne provides innovative polymer solutions and services for the shooting and hunting industry.



Application	Product
Stocks	Filled & unfilled nylon (6 & 6/6); filled polypropylene; filled PBT; filled PET; filled RTPU
Recoil pads; vibration dampening	TPE; TPU
Handguards, forearms	Filled & unfilled nylon (6 & 6/6); TPE; filled PBT; filled PET; filled PBT; filled RTPU
Grips	Filled & unfilled nylon (6 & 6/6); filled polypropylene; TPE; TPU
Magazines	Filled & unfilled nylon (6 & 6/6); filled PUR
Casings	Nylon; polypropylene
Projectiles	Gravi-Tech™; Nylon 6 & 12; TPU; TPE
Wads	PE
Tips	Acetal; polycarbonate; TPE




Warehouse and Sales/Services


Warehouse

CONTACT INFORMATION

West Service Center

Rancho Cucamonga, CA
 +1 909 987 8899
 (800) 447 4305

Canada

Mississauga, Ontario
 +1 905 405 0003
 (888) 394 2662

Mid-West Service Center

Romeoville, IL
 +1 630 972 0520
 (800) 323 0733

East Service Center

Ayer, MA
 +1 978 772 0764
 (800) 372 2732

PolyOne

*Beyond Polymers.
Better Business Solutions.™*

www.polyone.com

PolyOne Americas

33587 Walker Road
 Avon Lake, Ohio 44012
 United States
 +1 440 930 1000

PolyOne Asia

Guoshoujing Road No. 88
 Z.J Hi-Tech Park, Pudong
 Shanghai, 201203, China
 +86 (0) 21 5080 1188

PolyOne Europe

6, Giällewee
 L-9749 Fischbach
 Luxembourg
 +32 (0) 83 660 211

Copyright © 2010, PolyOne Corporation. PolyOne makes no representations, guarantees, or warranties of any kind with respect to the Information contained in this document about its accuracy, suitability for particular applications, or the results obtained or obtainable using the information. Some of the Information arises from laboratory work with small-scale equipment which may not provide a reliable indication of performance or properties obtained or obtainable on larger-scale equipment. Values reported as "typical" or stated without a range do not state minimum or maximum properties; consult your sales representative for property ranges and min/max specifications. Processing conditions can cause material properties to shift from the values stated in the Information. PolyOne makes no warranties or guarantees respecting suitability of either PolyOne's products or the Information for your process or end-use application. You have the responsibility to conduct full-scale end-product performance testing to determine suitability in your application, and you assume all risk and liability arising from your use of the Information and/or use or handling of any product. POLYONE MAKES NO WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, either with respect to the Information or products reflected by the Information. This literature shall NOT operate as permission, recommendation, or inducement to practice any patented invention without permission of the patent owner.